






ALUMINIUM STANDARD DOME HEAD






BODY: Aluminium Al Mg 3,5
MANDREL: Steel Zincoated

UNE - EN ISO 15977

d1 Ø m/m	L m/m	d2 Ø m/m	K m/m	W Ø m/m	M MÍN. m/m	I m/m	 MAX. E m/m		COD.
2,4	4	5,0	0,55	1,45	30,0	5,10	0,5 - 2,0	2,50	01010 00 2404
	6					7,10	2,0 - 4,0		01010 00 2406
	8					9,10	4,0 - 6,0		01010 00 2408
	10					11,10	6,0 - 8,0		01010 00 2410




d1 Ø m/m	 (N)	 (N)
2,4	400	500



RAL	9010	9011	5010	5012	3005	1001	9006	7024	9018	8014	8004	6002
	9016	9021	5007	5021	3007	1002	7022	7021	2004	8019	3000	6005
	9005	1104	5001	5009	3011	7038	9002	7037	2000	8024	3009	6021



More sizes 



ALUMINIUM STANDARD DOME HEAD






BODY: Aluminium Al Mg 3,5
MANDREL: Steel Zincoated

UNE - EN ISO 15977

d1 Ø m/m	L m/m	d2 Ø m/m	K m/m	W Ø m/m	M MÍN. m/m	I m/m	 MAX. E m/m		COD.
3,0	5	6,5	0,80	1,80	30,0	6,30	0,5 - 2,5	3,10	01010 00 3005
	6					7,30	1,5 - 3,5		01010 00 3006
	7					8,30	1,5 - 4,5		01010 00 3007
	8					9,30	3,5 - 5,5		01010 00 3008
	10					11,30	5,5 - 7,0		01010 00 3010
	12					13,30	7,0 - 9,0		01010 00 3012
	14					15,30	9,0 - 11,0		01010 00 3014
	16					17,30	11,0 - 13,0		01010 00 3016
18	19,30	13,0 - 15,0	01010 00 3018						
3,2	5	6,5	0,80	1,80	30,0	6,30	0,5 - 2,5	3,30	01010 00 3205
	6					7,30	1,5 - 3,5		01010 00 3206
	8					9,30	3,5 - 5,5		01010 00 3208
	10					11,30	5,5 - 7,0		01010 00 3210
	12					13,30	7,0 - 9,0		01010 00 3212
	15					16,30	9,0 - 12,0		01010 00 3215
	18					19,30	12,0 - 15,0		01010 00 3218
	20					21,30	15,0 - 17,0		01010 00 3220




d1 Ø m/m	 (N)	 (N)
3,0	850	850
3,2	880	1.150



RAL	9010	9011	5010	5012	3005	1001	9006	7024	9018	8014	8004	6002
	9016	9021	5007	5021	3007	1002	7022	7021	2004	8019	3000	6005
	9005	1104	5001	5009	3011	7038	9002	7037	2000	8024	3009	6021



More sizes 



ALUMINIUM STANDARD DOME HEAD






BODY: Aluminium Al Mg 3,5
MANDREL: Steel Zincoated

UNE - EN ISO 15977

d1 Ø m/m	L m/m	d2 Ø m/m	K m/m	W Ø m/m	M MÍN. m/m	I m/m	 MAX. E m/m		COD.
4,0	5	8,0	1,00	2,20	30,0	6,60	0,5 - 2,5	4,10	01010 00 4005
	6					7,60	1,5 - 3,0		01010 00 4006
	7					8,60	3,0 - 4,5		01010 00 4007
	8					9,60	3,0 - 5,0		01010 00 4008
	10					11,60	5,0 - 6,5		01010 00 4010
	12					13,60	6,5 - 8,5		01010 00 4012
	14					15,60	8,5 - 10,5		01010 00 4014
	16					17,60	10,5 - 12,5		01010 00 4016
	18					19,60	12,5 - 14,5		01010 00 4018
	20					21,60	14,5 - 16,5		01010 00 4020
	25					26,60	16,5 - 21,5		01010 00 4025
30	31,60	21,5 - 26,0	01010 00 4030						




d1 Ø m/m	 (N)	 (N)
4,0	1.300	1.960



RAL	9010	9011	5010	5012	3005	1001	9006	7024	9018	8014	8004	6002
	9016	9021	5007	5021	3007	1002	7022	7021	2004	8019	3000	6005
	9005	1104	5001	5009	3011	7038	9002	7037	2000	8024	3009	6021



More sizes 



ALUMINIUM STANDARD DOME HEAD




BODY: Aluminium Al Mg 3,5
MANDREL: Steel Zincoated

UNE - EN ISO 15977

d1 Ø m/m	L m/m	d2 Ø m/m	K m/m	W Ø m/m	M min. m/m	I m/m	 MAX. E m/m		COD.
4,8	6	9,5	1,10	2,75	30,0	8,00	0,5 - 3,0	4,90	01010 00 4806
	8					10,00	3,0 - 4,5		01010 00 4808
	10					12,00	4,5 - 6,0		01010 00 4810
	12					14,00	6,0 - 8,0		01010 00 4812
	14					16,00	8,0 - 10,0		01010 00 4814
	16					18,00	10,0 - 12,0		01010 00 4816
	18					20,00	12,0 - 14,0		01010 00 4818
	21					23,00	14,0 - 17,0		01010 00 4821
	24					26,00	17,0 - 20,0		01010 00 4824
	27					29,00	20,0 - 23,0		01010 00 4827
	30					32,00	23,0 - 25,0		01010 00 4830
	32					34,00	25,0 - 27,0		01010 00 4832
	35					37,00	27,0 - 30,0		01010 00 4835
	40					42,00	30,0 - 35,0		01010 00 4840
45	47,00	35,0 - 40,0	01010 00 4845						
50	52,00	40,0 - 45,0	01010 00 4850						
5,0	6	9,5	1,10	2,75	30,0	8,00	0,5 - 3,0	5,10	01010 00 5006
	8					10,00	3,0 - 4,5		01010 00 5008
	10					12,00	4,5 - 6,0		01010 00 5010
	12					14,00	6,0 - 8,0		01010 00 5012
	14					16,00	8,0 - 10,0		01010 00 5014
	16					18,00	10,0 - 12,0		01010 00 5016
	18					20,00	12,0 - 14,0		01010 00 5018
	20					22,00	14,0 - 16,0		01010 00 5020
	25					27,00	16,0 - 21,0		01010 00 5025
	30					32,00	21,0 - 25,0		01010 00 5030
	35					37,00	25,0 - 30,0		01010 00 5035
	40					42,00	30,0 - 35,0		01010 00 5040
	45					47,00	35,0 - 40,0		01010 00 5045
	50					52,00	40,0 - 45,0		01010 00 5050



d1 Ø m/m	 (N)	 (N)
4,8	1.870	2.790
5,0	2.150	3.000



RAL	9010	9011	5010	5012	3005	1001	9006	7024	9018	8014	8004	6002
	9016	9021	5007	5021	3007	1002	7022	7021	2004	8019	3000	6005
	9005	1104	5001	5009	3011	7038	9002	7037	2000	8024	3009	6021

More sizes 