






ALUMINIUM STANDARD COUNTERSUNK HEAD 120°






BODY: Aluminium Al Mg 3,5
MANDREL: Steel Zincoated

UNE - EN ISO 15978

d1 Ø m/m	L m/m	d2 Ø m/m	K m/m	W Ø m/m	M MÍN. m/m	I m/m	 MAX. E m/m		COD.
3,0	6	6,00	0,90	1,80	30,0	7,30	1,5 - 3,5	3,10	01020 00 3006
	8					9,30	3,5 - 5,5		01020 00 3008
	10					11,30	5,5 - 7,0		01020 00 3010
	12					13,30	7,0 - 9,0		01020 00 3012
	14					15,30	9,0 - 11,0		01020 00 3014
	16					17,30	11,0 - 13,0		01020 00 3016
3,2	6	6,00	0,90	1,80	30,0	7,30	1,5 - 3,5	3,30	01020 00 3206
	8					9,30	3,5 - 5,5		01020 00 3208
	10					11,30	5,5 - 7,0		01020 00 3210
	12					13,30	7,0 - 9,0		01020 00 3212
	15					16,30	9,0 - 11,0		01020 00 3215
	18					19,30	11,0 - 13,0		01020 00 3218




d1 Ø m/m	 (N)	 (N)
3,0	850	850
3,2	880	1.150




RAL

9010
9005



More sizes 



ALUMINIUM STANDARD COUNTERSUNK HEAD 120°






BODY: Aluminium Al Mg 3,5
MANDREL: Steel Zincoated

UNE - EN ISO 15978

d1 Ø m/m	L m/m	d2 Ø m/m	K m/m	W Ø m/m	M MIN. m/m	I m/m	 MAX. E m/m		COD.
4,0	6	7,5	1,00	2,20	30,0	7,60	1,5 - 3,0	4,10	01020 00 4006
	8					9,60	3,0 - 5,0		01020 00 4008
	10					11,60	5,0 - 6,5		01020 00 4010
	12					13,60	6,5 - 8,5		01020 00 4012
	14					15,60	8,5 - 10,5		01020 00 4014
	16					17,60	10,5 - 12,5		01020 00 4016
	18					19,60	12,5 - 14,5		01020 00 4018
	20					21,60	14,5 - 16,5		01020 00 4020




d1 Ø m/m	 (N)	 (N)
4,0	1.300	1.960



RAL 9010 9005



More sizes 



ALUMINIUM STANDARD COUNTERSUNK HEAD 120°






BODY: Aluminium Al Mg 3,5
MANDREL: Steel Zincoated

UNE - EN ISO 15978

d1 Ø m/m	L m/m	d2 Ø m/m	K m/m	W Ø m/m	M MIN. m/m	I m/m	 E m/m		COD.
4,8	6	9,00	1,20	2,75	30,0	8,00	0,5 - 3,0	4,90	01020 00 4806
	8					10,00	3,0 - 4,5		01020 00 4808
	10					12,00	4,5 - 6,0		01020 00 4810
	12					14,00	6,0 - 8,0		01020 00 4812
	14					16,00	8,0 - 10,0		01020 00 4814
	16					18,00	10,0 - 12,0		01020 00 4816
	18					20,00	12,0 - 14,0		01020 00 4818
	21					23,00	14,0 - 17,0		01020 00 4821
	24					26,00	17,0 - 20,0		01020 00 4824
	27					29,00	20,0 - 23,0		01020 00 4827
	30					32,00	23,0 - 25,0		01020 00 4830
	35					35,00	25,0 - 30,0		01020 00 4835
5,0	6	9,00	1,20	2,75	30,0	8,00	0,5 - 3,0	5,10	01020 00 5006
	8					10,00	3,0 - 4,5		01020 00 5008
	10					12,00	4,5 - 6,0		01020 00 5010
	12					14,00	6,0 - 8,0		01020 00 5012
	14					16,00	8,0 - 10,0		01020 00 5014
	16					18,00	10,0 - 12,0		01020 00 5016
	18					20,00	12,0 - 14,0		01020 00 5018
	20					22,00	14,0 - 16,0		01020 00 5020
	25					27,00	16,0 - 21,0		01020 00 5025
	30					32,00	21,0 - 25,0		01020 00 5030



d1 Ø m/m	 (N)	 (N)
4,8	1.870	2.790
5,0	2.150	3.000



RAL

9010
9005

More sizes 