








# STEEL DOME HEAD






**BODY: Steel Zincoated**  
**MANDREL: Steel Zincoated**

UNE - EN ISO 15979

d1 Ø m/m	L m/m	d2 Ø m/m	K m/m	W Ø m/m	M MIN. m/m	I m/m	 MAX. E m/m		COD.
<b>4,0</b>	<b>6</b>	<b>8,0</b>	1,00	2,40	30,0	7,60	1,5 - 3,0	4,10	01210 00 4006
	<b>8</b>					9,60	3,0 - 5,0		01210 00 4008
	<b>10</b>					11,60	5,0 - 6,5		01210 00 4010
	<b>12</b>					13,60	6,5 - 8,5		01210 00 4012
	<b>14</b>					15,60	8,5 - 10,5		01210 00 4014
	<b>16</b>					17,60	10,5 - 12,5		01210 00 4016
	<b>18</b>					19,60	12,5 - 14,5		01210 00 4018
	<b>20</b>					21,60	14,5 - 16,5		01210 00 4020




d1 Ø m/m	 (N)	 (N)
<b>4,0</b>	2.000	2.400



**RAL**



More sizes 



# STEEL DOME HEAD






**BODY: Steel Zinplated**  
**MANDREL: Steel Zinplated**

UNE - EN ISO 15979


d1 Ø m/m	L m/m	d2 Ø m/m	K m/m	W Ø m/m	M min. m/m	I m/m	 MAX. E m/m		COD.
<b>4,8</b>	<b>6</b>	<b>9,5</b>	1,10	2,93	30,0	8,00	0,5 - 3,0	4,90	01210 00 4806
	<b>8</b>					10,00	3,0 - 4,5		01210 00 4808
	<b>10</b>					12,00	4,5 - 6,0		01210 00 4810
	<b>12</b>					14,00	6,0 - 8,0		01210 00 4812
	<b>14</b>					16,00	8,0 - 10,0		01210 00 4814
	<b>16</b>					18,00	10,0 - 12,0		01210 00 4816
	<b>18</b>					20,00	12,0 - 14,0		01210 00 4818
	<b>21</b>					23,00	14,0 - 16,0		01210 00 4821
	<b>24</b>					26,00	16,0 - 19,0		01210 00 4824
	<b>30</b>					32,00	20,0 - 25,0		01210 00 4830
	<b>35</b>					37,00	25,0 - 30,0		01210 00 4835
	<b>5,0</b>					<b>8</b>	<b>9,5</b>		1,10
<b>10</b>		12,00	4,5 - 6,0	01210 00 5010					
<b>12</b>		14,00	6,0 - 8,0	01210 00 5012					
<b>14</b>		16,00	8,0 - 10,0	01210 00 5014					
<b>16</b>		18,00	10,0 - 11,5	01210 00 5016					
<b>18</b>		20,00	11,5 - 13,0	01210 00 5018					
<b>20</b>		22,00	13,0 - 15,0	01210 00 5020					
<b>25</b>		27,00	15,0 - 20,0	01210 00 5025					
<b>30</b>		32,00	20,0 - 25,0	01210 00 5030					
<b>35</b>		27,00	25,0 - 30,0	01210 00 5035					
<b>40</b>		42,00	30,0 - 34,0	01210 00 5040					
<b>45</b>		47,00	34,0 - 39,0	01210 00 5045					
<b>50</b>		52,00	39,0 - 44,0	01210 00 5050					
<b>60</b>		62,00	44,0 - 54,0	01210 00 5060					




d1 Ø m/m	 (N)	 (N)
<b>4,8</b>	3.000	4.100
<b>5,0</b>	3.500	4.800



**RAL**



More sizes 



# STEEL DOME HEAD






**BODY: Steel Zinplated**  
**MANDREL: Steel Zinplated**

UNE - EN ISO 15979

d1 Ø m/m	L m/m	d2 Ø m/m	K m/m	W Ø m/m	M min. m/m	I m/m	 MAX. E m/m		COD.
<b>6,0</b>	<b>8</b>	<b>12,0</b>	1,50	3,60	30,0	10,20	2,0 - 4,0	6,10	01210 00 6008
	10					12,20	4,0 - 6,0		01210 00 6010
	12					14,20	6,0 - 8,0		01210 00 6012
	14					16,20	8,0 - 10,0		01210 00 6014
	16					18,20	10,0 - 11,0		01210 00 6016
	18					20,20	11,0 - 13,0		01210 00 6018
	20					22,20	13,0 - 18,0		01210 00 6020
	25					27,20	15,0 - 20,0		01210 00 6025
30	32,20	20,0 - 25,0	01210 00 6030						
<b>6,4</b>	<b>8</b>	<b>13,0</b>	1,80	3,90	30,0	10,40	1,0 - 2,0	6,50	01210 00 6408
	10					12,40	2,0 - 4,0		01210 00 6410
	12					14,40	4,0 - 6,0		01210 00 6412
	15					17,40	6,0 - 9,0		01210 00 6415
	18					20,40	9,0 - 12,0		01210 00 6418
	20					22,40	12,0 - 14,0		01210 00 6420
	22					24,40	14,0 - 16,0		01210 00 6422
	26					27,40	16,0 - 19,0		01210 00 6426
	30					32,40	19,0 - 24,0		01210 00 6430



d1 Ø m/m	 (N)	 (N)
<b>6,0</b>	4.200	5.500
<b>6,4</b>	4.950	7.000



**RAL**

More sizes 